

<b>Model</b>	<b>Capacity [Kg]</b>	<b>Speed [m/min.]</b>	<b>Kw</b>	<b>Pull of chain</b>	<b>A</b>	<b>A1</b>	<b>B</b>	<b>B1</b>	<b>B2</b>	<b>B3</b>	<b>Ø C</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D</b>	<b>D1</b>	<b>E</b>	<b>E1</b>	<b>F</b>	<b>Ø G</b>	<b>G1</b>	<b>H</b>	<b>H1</b>	<b>H2</b>	<b>H3</b>	<b>L</b>	<b>M</b>	<b>N</b>	<b>Ø R</b>	<b>S</b>	<b>Ø T</b>	<b>Weight [Kg]</b>
1000WR8	1000	8	2	1	355	90	102	162	375	665	10	12	34	28	280	147	28	30	29	43	32	250	345	315	660	175	160	415	70	390	24	142
1000WR28	1000	2-8	0,5-2	1	355	90	102	162	375	665	10	12	34	28	280	147	28	30	29	43	32	250	345	315	660	175	160	415	70	390	24	144
1500WR4	1500	4	2	1	375	90	102	162	375	665	10	12	34	28	280	147	28	30	29	50	37	250	345	315	660	175	160	415	70	390	24	154
1500WR14	1500	1-4	0,5-2	1	375	90	102	162	375	665	10	12	34	28	280	147	28	30	29	50	37	250	345	315	660	175	160	415	70	390	24	154
2000WR4	2000	4	2	1	375	90	102	162	375	665	10	12	34	28	280	147	28	30	29	50	37	250	345	315	660	175	160	415	70	390	24	154
2000WR14	2000	1-4	0,5-2	1	375	90	102	162	375	665	10	12	34	28	280	147	28	30	29	50	37	250	345	315	660	175	160	415	70	390	24	154